



1720 Prosperity Court  
Chippewa Falls, WI 54729  
[www.chemceed.com](http://www.chemceed.com)

Ph: (715)726-2300  
Fax: (715)726-2314  
[inquiry@chemceed.com](mailto:inquiry@chemceed.com)

## PAO 4

### SALES SPECIFICATIONS

PROPERTY	LIMITS
Color (ASTM D1500)	0.5 Maximum
K. Viscosity, cSt, 100°C	3.9-4.6
K. Viscosity, cSt, 40°C	17.0-22.0
Viscosity Index	115 Minimum
Pour Point, °C	-57 Maximum
Flash Point, °C	204 Minimum
Noack Volatility, Weight Loss 250°C	14 Maximum
Specific Gravity (60/60°F)	0.818 Typical Value
Bromine Number	0.4 Maximum

04082020-AM-00-1038/789