



1720 Prosperity Court
Chippewa Falls, WI 54729
www.chemceed.com

Ph: (715)726-2300
Fax: (715)726-2314
inquiry@chemceed.com

PAO 6X

SALES SPECIFICATIONS

CAS Number:

PROPERTY	LIMITS
Color (ASTM D1500)	0.5 Maximum
K. Viscosity, cSt, 100°C	5.9 Typical Value
K. Viscosity, cSt, 40°C	30.8 Typical Value
K. Viscosity, cSt, -40°C	7,795 Typical Value
Viscosity Index	137 Typical Value
Pour Point, °C	-54 Maximum
Flash Point, °C	225 Minimum
Noack Volatility, Weight Loss 250°C	9 Maximum
Specific Gravity (60/60°F)	0.830 Typical Value
Total Acid Number	0.01 Maximum
Bromine Number	0.4 Maximum

00-1038